



CATALOG
2023



About us

Hindon Metaforms Pvt Ltd was established in 1979. Since then, we have been upward in growth and success. Over 4 decades, our single unit developed into four well-equipped and professionally managed units. Today we are respected manufacturers of bicycle hubs, chain wheels, bicycle frames, two-wheeler parts, auto OEM parts, and agricultural parts. We employ state-of-the-art machinery which ensures high accuracy, quality, and efficiency.

Quality Policy

We are dedicated to serving society through our quality products, and we try to find various methods to reduce wastage and improve production and productivity. Quality at our end means that the products being delivered meet the agreed specifications of our customers with continual improvement. We have a high-tech laboratory, tool room, and engineering department.

INDEX

PAGE	CATEGORY
1-3	STANDARD HUBS
4-7	MTB HUBS
8-12	DISK HUBS
13-14	WHEELCHAIR HUBS

STANDARD HUBS





PHILLIP TYPE HUB (FRONT)

Spoke holes: 16, 20, 28, 32, 36, 40

Gauge: 10g, 12g, 13g, 14g

O.L.D: 89, 92, 95, 100

P.C.D: 41.5

F.T.F: 57

Axle: 127, 133, 136, 140, 152

Axle Thread: 26T - 3/8, 5/16

Finish: BCP, ED Black or as per request

PHILLIP TYPE HUB (REAR)

Spoke holes: 16, 20, 28, 36, 40

Gauge: 10g, 12g, 13g, 14g

O.L.D: 106, 112, 115, 127, 130, 135

P.C.D: 44.5

F.T.F: 57

Axle: 152, 165, 170, 178, 190, 203

Axle Thread: 26T - 3/8

Finish: BCP, ED Black or as per request



RICKSHAW HUB (FRONT)

Spoke holes: 64

Gauge: 10g, 12g, 13g, 14g

O.L.D: 92, 100

P.C.D: 65

F.T.F: 57.5

Axle: 127, 133, 136, 140, 152

Axle Thread: 26T - 3/8

Finish: BCP, ED Black or as per request

RICKSHAW HUB (REAR)

Spoke holes: 64

Gauge: 10g, 12g, 13g, 14g

O.L.D: 106, 112

P.C.D: 65

F.T.F: 57.5

Axle: 152, 165, 170, 178, 190, 203

Axle Thread: 26T - 3/8

Finish: BCP, ED Black or as per request





RALEIGH TYPE HUB (FRONT)

Spoke holes: 16, 20, 28, 32, 36

Gauge: 13g, 14g

O.L.D: 89, 92

P.C.D: 35

F.T.F: 72

Axle: 127, 133, 140

Axle Thread: 26T - 5/16

Finish: BCP, ED Black or as per request

RALEIGH TYPE HUB (REAR)

Spoke holes: 16, 20, 28, 36, 40

Gauge: 13g, 14g

O.L.D: 106, 112

P.C.D: 44.5

F.T.F: 57

Axle: 165, 170, 178, 190, 203

Axle Thread: 26T - 3/8

Finish: BCP, ED Black or as per request



C/L TYPE MINI HUB (FRONT)

Spoke holes: 16, 20, 28, 32, 36

Gauge: 13g, 14g

O.L.D: 92, 100

P.C.D: 35

F.T.F: 42.5

Axle: 127, 133, 136, 140

Axle Thread: 26T - 3/8, 5/16

Finish: BCP, ED Black or as per request



MTB HUBS



TAIWAN TYPE HUB (FRONT)

Spoke holes: 16, 20, 28, 32, 36
 Gauge: 13g, 14g
 O.L.D: 100
 P.C.D: 41.5
 F.T.F: 57
 Axle: 140
 Axle Thread: 26T - 3/8
 Finish: BCP, ED Black or as per request



TAIWAN TYPE HUB (REAR)

Spoke holes: 16, 20, 28, 36, 40
 Gauge: 13g, 14g
 O.L.D: 112, 118, 127, 130, 135
 P.C.D: 44.5
 F.T.F: 57
 Axle: 180
 Axle Thread: 26T - 3/8
 Finish: BCP, ED Black or as per request



SEALED BEARING HUB (FRONT)

Spoke holes: 16, 20, 28, 32, 36
 Gauge: 13g, 14g
 O.L.D: 100
 P.C.D: 41.5
 F.T.F: 57
 Axle: 140
 Axle Thread: 26T - 3/8
 Finish: BCP, ED Black or as per request




SEALED BEARING HUB (FRONT)

Spoke holes: 16, 20, 28, 36, 40
 Gauge: 13g, 14g
 O.L.D: 112, 115, 127, 130, 135
 P.C.D: 44.5
 F.T.F: 57
 Axle: 152, 172
 Axle Thread: 26T - 3/8
 Finish: BCP, ED Black or as per request



ROTOBIKE HUB

Spoke holes: 64
 Gauge: 10g, 12g, 13g, 14g
 O.L.D: 92, 100
 P.C.D: 65
 F.T.F: 57.5
 Axle: 140, 152
 Axle Thread: 26T - 3/8
 Finish: ED Black or as per request



ROTOBIKE HUB

Spoke holes: 64
 Gauge: 10g, 12g, 13g, 14g
 O.L.D: 106, 112
 P.C.D: 65
 F.T.F: 57.5
 Axle: 165, 170, 178, 190
 Axle Thread: 26T - 3/8
 Finish: ED Black or as per request



CONICAL/OVAL TYPE HUB (FRONT)

Spoke holes: 16, 20, 28, 32, 36, 40
 Gauge: 10g, 12g, 13g, 14g
 O.L.D: 90, 92, 100
 P.C.D: 41.5
 F.T.F: 57.5
 Axle: 133, 136, 140, 152
 Axle Thread: 26T - 3/8
 Finish: BCP, ED Black or as per request



CONICAL/OVAL TYPE HUB (REAR MULTISPEED)

Spoke holes: 16, 20, 28, 36, 40
 Gauge: 10g, 12g, 13g, 14g
 O.L.D: 127, 130, 135
 P.C.D: 44.5
 F.T.F: 57.5
 Axle: 165, 170, 178, 190, 203
 Axle Thread: 26T - 3/8
 Finish: BCP, ED Black or as per request



C/L TYPE HUB (FRONT)

Spoke holes: 16, 20, 28, 32, 36, 40

Gauge: 13g, 14g

O.L.D: 89, 92, 95, 100

P.C.D: 41.5

F.T.F: 57

Axle: 140, 152

Axle Thread: 26T - 3/8

Finish: BCP, ED Black or as per request



C/L TYPE HUB (REAR MULTISPEED)

Spoke holes: 16, 20, 28, 36, 40

Gauge: 13g, 14g

O.L.D: 127, 130, 135

P.C.D: 44.5

F.T.F: 57

Axle: 165, 170, 178, 190

Axle Thread: 26T - 3/8

Finish: BCP, ED Black or as per request

C/L TYPE HUB FRONT QUICK RELEASE SUITABLE

Spoke holes: 16, 20, 28, 32, 36

Gauge: 12g, 13g, 14g

O.L.D: 100

P.C.D: 41.5

F.T.F: 57

Axle: 110

Axle Thread: 26T - 3/8

Finish: BCP, ED Black or as per request



PHILLIP TYPE HUB FRONT QUICK RELEASE SUITABLE

Spoke holes: 16, 20, 28, 32, 36

Gauge: 12g, 13g, 14g

O.L.D: 100

P.C.D: 41.5

F.T.F: 57

Axle: 110

Axle Thread: 26T - 3/8

Finish: BCP, ED Black or as per request



DISK_HUBS



C/L TYPE THREADED DISK HUB (FRONT)

Spoke holes: 16, 20, 28, 32, 36
Gauge: 10g, 12g, 13g, 14g
O.L.D: 100
P.C.D: 44.50
F.T.F: 57
Axle: 133, 136, 140, 152
Axle Thread: 26T - 3/8
Finish: BCP, ED Black or as per request



C/L TYPE THREADED DISK HUB (REAR)

Spoke holes: 16, 20, 28, 36, 40
Gauge: 10g, 12g, 13g, 14g
O.L.D: 106, 112, 115, 127, 130, 135
P.C.D: 44.5
F.T.F: 57
Axle: 152, 165, 170, 178, 190, 203
Axle Thread: 26T - 3/8
Finish: BCP, ED Black or as per request



MEGA DISK THICK HUB (FRONT)

Spoke holes: 16, 20, 28, 32, 36
Gauge: 12g, 13g, 14g
O.L.D: 100
P.C.D: 61
F.T.F: 50.5
Axle: 136, 140, 152
Axle Thread: 26T - 3/8
Finish: BCP, ED Black or as per request




MEGA DISK THICK HUB (REAR)

Spoke holes: 16, 20, 28, 36, 40
Gauge: 12g, 13g, 14g
O.L.D: 112, 118, 127, 130, 135, 145, 165
P.C.D: 61
F.T.F: 57.5, 67.5, 86.5, 93.5
Axle: 152, 165, 170, 178, 190, 203
Axle Thread: 26T - 3/8
Finish: BCP, ED Black or as per request



MEGA DISK HUB (FRONT)

Spoke holes: 16, 20, 28, 32, 36
Gauge: 12g, 13g, 14g
O.L.D: 100
P.C.D: 61
F.T.F: 50.5
Axle: 136, 140, 152
Axle Thread: 26T - 3/8
Finish: BCP, ED Black or as per request



MEGA DISK HUB (REAR)

Spoke holes: 16, 20, 28, 36, 40
Gauge: 12g, 13g, 14g
O.L.D: 112, 118, 127, 130, 135, 145, 165
P.C.D: 61
F.T.F: 57.5, 67.5, 86.5, 93.5
Axle:
Axle Thread: 26T - 3/8
Finish: BCP, ED Black or as per request



MEGA DISK HUB (FRONT)

Spoke holes: 16, 20, 28, 32, 36
Gauge: 12g, 13g, 14g
O.L.D: 100
P.C.D: 61
F.T.F: 50.5
Axle: 136, 140, 152
Axle Thread: 26T - 3/8
Finish: BCP, ED Black or as per request



MEGA DISK HUB (REAR MULTISPEED)

Spoke holes: 16, 20, 28, 36, 40
Gauge: 12g, 13g, 14g
O.L.D: 127, 130, 135
P.C.D: 61
F.T.F: 57.5, 67.5, 86.5, 93.5
Axle: 170, 178, 190, 203
Axle Thread: 26T - 3/8
Finish: BCP, ED Black or as per request



MEGA DISK HUB FAT BIKE (FRONT)

Spoke holes: 16, 20, 28, 32, 36
 Gauge: 12g, 13g, 14g
 O.L.D: 135
 P.C.D: 61
 F.T.F: 86.5
 Axle: 178, 190
 Axle Thread: 26T - 3/8
 Finish: BCP, ED Black or as per request




MEGA DISK HUB FAT BIKE (REAR SINGLESPEED)

Spoke holes: 16, 20, 28, 36, 40
 Gauge: 12g, 13g, 14g
 O.L.D: 195
 P.C.D: 61
 F.T.F: 128.5
 Axle: 235, 250
 Axle Thread: 26T - 3/8
 Finish: BCP, ED Black or as per request



MEGA DISK HUB FAT BIKE (FRONT)

Spoke holes: 16, 20, 28, 32, 36
 Gauge: 12g, 13g, 14g
 O.L.D: 135
 P.C.D: 61
 F.T.F: 86.5
 Axle: 178, 190
 Axle Thread: 26T - 3/8
 Finish: BCP, ED Black or as per request



MEGA DISK HUB FAT BIKE (REAR MULTISPEED)

Spoke holes: 16, 20, 28, 36, 40
 Gauge: 12g, 13g, 14g
 O.L.D: 195
 P.C.D: 61
 F.T.F: 117.5
 Axle: 235, 250
 Axle Thread: 26T - 3/8
 Finish: BCP, ED Black or as per request



MEGA DISK HUB FRONT QUICK RELEASE SUITABLE

Spoke holes: 16, 20, 28, 32, 36

Gauge: 12g, 13g, 14g

O.L.D: 100

P.C.D: 61

F.T.F: 50.5

Axle: 110

Axle Thread: 26T - 3/8

Finish: BCP, ED Black or as per request



SEALED BEARING MEGA DISK HUB (FRONT)

Spoke holes: 16, 20, 28, 32, 36

Gauge: 12g, 13g, 14g

O.L.D: 100

P.C.D: 61


F.T.F: 50.5

Axle: 140

Axle Thread: 26T - 3/8


Finish: BCP, ED Black or as per request

WHEELCHAIR HUBS



TYPE A WITH SEALED BEARINGS

Spoke holes: 32, 36
Gauge: 13g, 14g
P.C.D: 41.5
F.T.F: 60
Finish: BCP, ED Black



TYPE B WITH SEALED BEARINGS

Spoke holes: 32, 36
Gauge: 13g, 14g
P.C.D: 41.5
F.T.F: 60
Finish: BCP, ED Black

A spiral-bound notebook with a light gray cover. The top edge features a silver spiral binding. The word "NOTES" is printed in a bold, dark blue, sans-serif font at the top center. Below the title, the page is filled with horizontal ruling lines. The background of the page is decorated with faint, light gray abstract shapes, including a large circle on the left and a smaller one on the right, both with a dotted pattern.

NOTES

Manufactured by :

HINDON METAFORMS PVT. LTD.

C-182, Phase-VI, Focal Point, Dhandari Kalan, Ludhiana- 141010

E-mail : hindon@gmail.com, hindon@hindongroup.com

Contact no: +91 98726 60086

Gst no: 03AAACI3773K1ZL